

F. Structural Requirements:

4. Architectural Design Standards:

a. Exterior Building Colors: The exterior of any building or structure shall blend with the natural materials and predominant colors and hues of the surrounding foothills. Colors permitted include grays, browns, greens, tans and other earth tones. White or bright colors shall be limited to window casings, doors, eaves and other trim areas.

b. Exterior Building Glass: Windows and other glass surfaces shall have an outdoor visible light reflective value no more than eighteen percent (18%) as defined and measured by ASTM E308-90 or its successor.

c. Roof Materials And Colors: Roof colors shall be earth tones. White, bright and reflective materials are prohibited from roofs. Tile, slate, architectural asphalt shingles and fire retardant wood are permitted as roofing materials.

d. Mechanical Equipment: Mechanical equipment including, without limitation, swamp coolers, air conditioning equipment, heat pumps, vents, blowers and fans shall be screened from view or painted to match the building color adjacent to the equipment. Roof mounted mechanical equipment shall not extend above the highest roof ridgeline. Roof mounted solar collection panels need not be screened or painted so long as they are mounted parallel to and flush with the roof slope and do not project above the ridgeline of the roof segment upon which they are mounted. Except as provided in the foregoing sentence, solar collection panels shall not be mounted upon any roof. Satellite antennas shall be painted nonreflective black or other dark earth tone colors.